

2013 Inside Lift Systems



INSIDE VEHICLE LIFTS

VERIFY	BEST IN CLASS		BETTER		GOOD		
VERIT VEHICLE VEHICLE COMPATIBILITY at www.harmar.com							
MADE IN USA	AL435 Axis III Inside Lift	AL435LP Axis III Low Profile Inside Lift	AL425 Axis II / Premium Inside Lift	AL225 Axis II / Economy Inside Lift	AL215 Axis I / Economy Inside Lift		
Operations	Power Lift, Power Rotate, Power Extend	Fully Powered Lifting, Boom Extension and Rotation	Power Lift, Power Rotate	Power Lift, Power Rotate	Power Lift, Manual Rotate		
Mobility Devices	Power Chairs, Scooters, Manual Wheelchairs	Power Chairs and Scooters,	Power Chairs, Scooters, Manual Wheelchairs	Power Chairs, Scooters, Manual Wheelchairs	Power Chairs, Scooters, Manual Wheelchairs		
Adjustable Boom Height Adjustable Boom Length Adjustable Boom Pitch	31" - 39" 21" - 33" 0° - 35°	28" - 36" 21" - 33" 0° - 35°	30" - 41" 25.5" - 32.5" 0° - 30°	30" - 41" 21.25" - 32.25" 5°	30" - 40" 21.25" - 32.25" 5°		
Lifting Weight Capacity	400 lbs. (181 kg)	400 lbs. (181 kg)	400 lbs. (181 kg)	250 lbs. (113 kg)	250 lbs. (113 kg)		
Installed Weights	76 lbs. (34.5 kg)	75 lbs. (34 kg)	66 lbs. (30 kg)	55 lbs. (25 kg)	42 lbs. (19 kg)		
Docking Device	Included	Included	Included	Included	Included		
Benefits Image: provide state s	 12 Full Inches of Power Extension to Reach Beyond Rear Bumper Action Base Provides Flexibility when Installing Passenger or Driver Install Wireless Keychain, Remotes Included 425 Ibs. Bariatric Upgrade Available 3-Year Transferable Warranty 	 Unique offset arm loads mobility device from curbside or over 24" tailgate 12 full inches of power extension to 43" maximum Action base for flexibility in passenger or driver installation 	 Modern Automotive Appearance with Built-in Offset to Load/Unload from Side of Vehicle Low Profile Design Requires Only 30" of Opening Height Passenger Side or Driver Side Install Optional Wireless Remote Control Optional Fold-down Arm when not Transporting Mobility Device 3-Year Transferable Warranty 	 Light-duty, Economical Solution for AL425 Weather Resistant Pendant Adjustable Base and Lift Strap Integrated Offset Post Provides Easy Pick-up/ Delivery of Mobility Device to Side of Vehicle 3-Year Transferable Warranty 	 Economical Solution for Loading a Personal Mobility Device Weather Resistant Pendant Adjustable Base and Lift Strap Integrated Offset Post Provides Easy Pick-up/Delivery of Mobility Device to Side of Vehicle 3-Year Transferable Warranty 		

HYBRID VEHICLE LIFTS

	AL600	AL625	AL625HD	AL690
Accommodates	Hybrid Platform Lift Minivans, SUV's, Full-size Vans and Even Some Crossovers	Hybrid Van Lift Minivans and Full Size Vans	HD Hybrid Van Lift Minivans and Full Size Vans	Side Door Hybrid Platform Lift Minivans
Mobility Devices	Power Chairs, Scooters	Power Chairs, Scooters	Power Chairs, Scooters	Power Chairs, Scooters
Platform Size	28" x 38" - 50" Adjustable Width	27" W x 44" L 28" W x 46.25" L 27" W x 37" L	27" W x 44" L 28" W x 46.25" L 27" W x 37" L	17" x 28" - 38" Adjustable Width
Lifting Weight Capacity	350 lbs. (160 kg)	350 lbs. (160 kg)	400 lbs. (181 kg)	275 lbs. (125 kg)
Installed Weights	179 lbs. (81 kg)	170 lbs. (77 kg)	173 lbs. (78 kg)	186 lbs. (84.5 kg)
Maximum Overall Length	38″ up to 50″ with opt. wheel cradle	Dual Entry - 36" Single Entry - 40"	Dual Entry - 36" Single Entry - 40"	38″
Method of Securement	4 Straps	4 Straps	4 Straps	4 Straps
Benefits	 Most Compact Lift in the Industry Drive On/Drive Off Platform 43" Mounting Depth 32" Mounting Height Vertical Reach of 33.5" Emergency Manual Operation Back-up System Remote Hand Control (Wireless Option) 3-Year Transferable Warranty 	 Drive On/Drive Off Platform 45" Mounting Depth 37" Mounting Height Vertical Reach of 32" Emergency Manual Operation Back-up System Remote Hand Control (Wireless Option) 3-Year Transferable Warranty 	 Drive On/Drive Off Platform 45" Mounting Depth 37" Mounting Height Vertical Reach of 32" Emergency Manual Operation Back-up System Remote Hand Control (Wireless Option) 3-Year Transferable Warranty 	 Mounts to Existing 2nd Row Seat Hardware No 3rd Row Seating Interference in Most Applications 56" Mounting Depth 32" Mounting Height Vertical Reach of 33.5" Emergency Manual Operation Back-up System Remote Hand Control (Wireless Option) 3-Year Transferable Warranty

MADE IN USA



Also Available from Harmar





2075 47th Street, Sarasota, FL 34234 | 800-833-0478 | www.harmar.com



© 2013 Harmar 04/04/2013