

- Features:**
- Battery Powered: 24 VDC Control System
  - Rated Load: 400 lbs
  - Speed: 15-18 fpm
  - Max. Travel: 21'-0"
  - Car Size: 33W x 26D x 75H
  - Overhead Clearance: 7'-2" Min.
  - Powder Coated Metal: Gray White
  - Vision Panels: Clear Acrylic
  - Car Light: Recessed LED
  - Telephone: Inside Telephone Cabinet
  - Automatic operation
  - Key Lock on controls
  - Emergency Stop Switch and Alarm
  - Status LED
  - Winding Drum Drive with two 1/4" aircraft cables
  - Electromechanical Interlock on Doors
  - Car Gate monitor
  - Grab Rail
  - Slack Cable Safety Device
  - Final Limit Switches

**PROPRIETARY AND CONFIDENTIAL**  
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF STAYING HOME CORPORATION. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF STAYING HOME CORPORATION IS PROHIBITED.

UNLESS OTHERWISE SPECIFIED:		NAME	DATE
DIMENSIONS ARE IN INCHES			8/8/2016
TOLERANCES:			
FRACTIONAL: ±1/16		DRAWN	
ANGULAR: ±0.5°		CHECKED	
ONE PLACE DECIMAL ±0.1		ENG APPR.	
TWO PLACE DECIMAL ±0.01		MFG APPR.	
THREE PLACE DECIMAL ±0.005		Q.A.	
INTERPRET GEOMETRIC TOLERANCING PER:		COMMENTS:	
MATERIAL			
FINISH			
DO NOT SCALE DRAWING			




TITLE:  
EZ3 INSIDE SHC ENCLOSURE

SIZE	DWG. NO.	REV
B	TYP - EZ3-A	A

SCALE: 1:64 WEIGHT: SHEET 1 OF 4

SECTION A-A



**PROPRIETARY AND CONFIDENTIAL**  
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF STAYING HOME CORPORATION. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF STAYING HOME CORPORATION IS PROHIBITED.


UNLESS OTHERWISE SPECIFIED:		NAME	DATE
DIMENSIONS ARE IN INCHES			8/8/2016
TOLERANCES:			
FRACTIONAL ±1/16			
ANGULAR: ±0.5°			
ONE PLACE DECIMAL ±0.1			
TWO PLACE DECIMAL ±0.01			
THREE PLACE DECIMAL ±0.005			
INTERPRET GEOMETRIC TOLERANCING PER:			
MATERIAL			
FINISH			
DO NOT SCALE DRAWING			



TITLE:  
 EZ3 INSIDE SHC ENCLOSURE

SIZE B	DWG. NO. TYP - EZ3-A	REV A
-----------	-------------------------	----------

SCALE: 1:64 WEIGHT: SHEET 2 OF 4



**PROPRIETARY AND CONFIDENTIAL**  
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF STAYING HOME CORPORATION. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF STAYING HOME CORPORATION IS PROHIBITED.

UNLESS OTHERWISE SPECIFIED:  
 DIMENSIONS ARE IN INCHES  
 TOLERANCES:  
 FRACTIONAL: ±1/16  
 ANGULAR: ±0.5°  
 ONE PLACE DECIMAL ±0.1  
 TWO PLACE DECIMAL ±0.01  
 THREE PLACE DECIMAL ±0.005

INTERPRET GEOMETRIC TOLERANCING PER:  
 MATERIAL  
 FINISH  
 DO NOT SCALE DRAWING


NAME	DATE
DRAWN JB	8/8/2016
CHECKED	
ENG APPR.	
MFG APPR.	
Q.A.	
COMMENTS:	



TITLE:  
**PERPENDICULAR FLOOR JOISTS**

SIZE <b>B</b>	DWG. NO. <b>TYP - EZ3-A</b>	REV <b>A</b>
------------------	--------------------------------	-----------------

SCALE: 1:64 WEIGHT: SHEET 3 OF 4



HOISTWAY DOOR  
OPEING THIS SIDE

FLOOR JOIST

JOIST HANGER

DRYWALL  
(SHOWN  
PARTIALLY)

SUB-FLOOR  
(SHOWN  
PARTIALLY)

ELEVATOR  
RAILS LAG TO  
2 X 6

18 1/2"

9 3/4"

38"  
OPENING

38"  
OPENING

DRYWALL

SUB-FLOOR

CUT SUB-FLOOR  
TO OPENING SIZE

HOISTWAY DOOR  
OPEING THIS SIDE

JOIST HANGER

UNLESS OTHERWISE SPECIFIED:		NAME	DATE
DIMENSIONS ARE IN INCHES		DRAWN	JB 8/8/2016
TOLERANCES:		CHECKED	
FRACTIONAL: ±1/16		ENG APPR.	
ANGULAR: ±0.5°		MFG APPR.	
ONE PLACE DECIMAL ±0.1		Q.A.	
TWO PLACE DECIMAL ±0.01		COMMENTS:	
THREE PLACE DECIMAL ±0.005			
INTERPRET GEOMETRIC TOLERANCING PER:		TITLE: PARALLEL FLOOR JOISTS	
MATERIAL		SIZE DWG. NO. REV	
FINISH		B TYP - EZ3-A A	
DO NOT SCALE DRAWING		SCALE: 1:64 WEIGHT: SHEET 4 OF 4	

**PROPRIETARY AND CONFIDENTIAL**  
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF STAYING HOME CORPORATION. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF STAYING HOME CORPORATION IS PROHIBITED.

