


120VAC AND
PHONE
JUNCTION BOX
EITHER SIDE

ALUMINUM
AND ACRYLIC
ENCLOSURE



HOISTWAY DOOR
WITH INTERLOCK
SWING TBD

- Features:**
- Battery Powered: 24 VDC Control System
 - Rated Load: 400 lbs
 - Speed: 15-18 fpm
 - Max. Travel: 21'-0"
 - Car Size: 33W x 39D x 75H
 - Overhead Clearance: 7'-2" Min.
 - Powder Coated Metal: Gray White
 - Vision Panels: Clear Acrylic
 - Car Light: Recessed LED
 - Telephone: Inside Telephone Cabinet
 - Automatic operation
 - Key Lock on controls
 - Emergency Stop Switch and Alarm
 - Status LED
 - Winding Drum Drive with two 1/4" aircraft cables
 - Electromechanical Interlock on Doors
 - Car Gate monitor
 - Grab Rail
 - Slack Cable Safety Device
 - Final Limit Switches


UNLESS OTHERWISE SPECIFIED:		NAME	DATE
DIMENSIONS ARE IN INCHES			8/8/2016
TOLERANCES:			
FRACTIONAL: ±1/16		DRAWN	
ANGULAR: ±0.5°		CHECKED	
ONE PLACE DECIMAL ±0.1		ENG APPR.	
TWO PLACE DECIMAL ±0.01		MFG APPR.	
THREE PLACE DECIMAL ±0.005		Q.A.	
INTERPRET GEOMETRIC TOLERANCING PER:		COMMENTS:	
MATERIAL			
FINISH			
DO NOT SCALE DRAWING			



TITLE: EZ5L LEFT ENTRY INSIDE SCH ENCLOSURE		
SIZE B	DWG. NO. TYP - EZ5L-A	REV A
SCALE: 1:64		WEIGHT: SHEET 1 OF 4

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF STAYING HOME CORPORATION. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF STAYING HOME CORPORATION IS PROHIBITED.

SECTION A-A



UNLESS OTHERWISE SPECIFIED:

DIMENSIONS ARE IN INCHES
 TOLERANCES:
 FRACTIONAL: ±1/16
 ANGULAR: ±0.5°
 ONE PLACE DECIMAL ±0.1
 TWO PLACE DECIMAL ±0.01
 THREE PLACE DECIMAL ±0.005

INTERPRET GEOMETRIC
 TOLERANCING PER:
 MATERIAL

FINISH

DO NOT SCALE DRAWING

NAME

DATE

DRAWN

8/8/2016

CHECKED

ENG APPR.

MFG APPR.

Q.A.

COMMENTS:




TITLE:
 EZ5L LEFT ENTRY
 INSIDE SCH ENCLOSURE

SIZE DWG. NO.
 B TYP - EZ5L-A

REV
 A

SCALE: 1:64 WEIGHT: SHEET 2 OF 4

PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS
 DRAWING IS THE SOLE PROPERTY OF
 STAYING HOME CORPORATION. ANY
 REPRODUCTION IN PART OR AS A WHOLE
 WITHOUT THE WRITTEN PERMISSION OF
 STAYING HOME CORPORATION IS
 PROHIBITED.



PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF STAYING HOME CORPORATION. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF STAYING HOME CORPORATION IS PROHIBITED.

UNLESS OTHERWISE SPECIFIED:	
DIMENSIONS ARE IN INCHES	
TOLERANCES:	
FRACTIONAL: ±1/16	
ANGULAR: ±0.5°	
ONE PLACE DECIMAL ±0.1	
TWO PLACE DECIMAL ±0.01	
THREE PLACE DECIMAL ±0.005	
INTERPRET GEOMETRIC TOLERANCING PER:	
MATERIAL:	
FINISH:	
DO NOT SCALE DRAWING	


NAME	DATE
JB	8/8/2016
DRAWN	
CHECKED	
ENG APPR.	
MFG APPR.	
Q.A.	
COMMENTS:	



TITLE: PERPENDICULAR FLOOR JOISTS

SIZE	DWG. NO.	REV
B	TYP - EZ5L-A	A

SCALE: 1:64 WEIGHT: SHEET 3 OF 4



HOISTWAY DOOR
OPEING THIS SIDE

FLOOR JOIST

JOIST HANGER

DRYWALL
(SHOWN
PARTIALLY)

SUB-FLOOR
(SHOWN
PARTIALLY)

HOISTWAY DOOR
OPEING THIS SIDE

ELEVATOR
RAILS LAG TO
2 X 6

18 1/2"

13"

46 1/2"
OPENING

44 1/2"
OPENING

JOIST HANGER

DRYWALL

SUB-FLOOR

CUT SUB-FLOOR
TO OPENING SIZE

UNLESS OTHERWISE SPECIFIED:

DIMENSIONS ARE IN INCHES
TOLERANCES:
FRACTIONAL: ±1/16
ANGULAR: ±0.5°
ONE PLACE DECIMAL ±0.1
TWO PLACE DECIMAL ±0.01
THREE PLACE DECIMAL ±0.005

INTERPRET GEOMETRIC
TOLERANCING PER:

MATERIAL

FINISH

DO NOT SCALE DRAWING

NAME

JB

DATE

8/8/2016

DRAWN

CHECKED

ENG APPR.

MFG APPR.

Q.A.

COMMENTS:



TITLE:
PARALLEL FLOOR JOISTS

SIZE
B

DWG. NO.
TYP - EZ5L-A

REV
A

SCALE: 1:64 WEIGHT: SHEET 4 OF 4

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
STAYING HOME CORPORATION. ANY
REPRODUCTION IN PART OR AS A WHOLE
WITHOUT THE WRITTEN PERMISSION OF
STAYING HOME CORPORATION IS
PROHIBITED.