

DESIGNED TO COMPLY
WITH ASME A17.1 PART 5.3
WHEN PROPERLY INSTALLED

CONTROLLER CONFORMS
TO ASME A17.5
INTERTEK 4010781




Features:

- Battery Powered: 24 VDC Control System
- Rated Load: 400 lbs
- Speed: 8-10 fpm
- Max. Travel: 14'-0"
- Car Size: 33W x 39D x 75H
- Overhead Clearance: 7'-6" Min.
- Powder Coated Metal: Gray White
- Vision Panels: Clear Acrylic
- Car Light: Recessed LED
- Telephone: Inside Telephone Cabinet
- Constant pressure up/down controls
- Key Lock on controls
- Emergency Stop Switch and Alarm
- Status LED
- Winding Drum Drive with two 1/4" aircraft cables
- Electromechanical Interlock on Gate
- Grab Rail
- Slack Cable Safety Device
- Final Limit Switches
- Safety Obstruction Sensors above and below Car

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF STAYING HOME CORPORATION. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF STAYING HOME CORPORATION IS PROHIBITED.


UNLESS OTHERWISE SPECIFIED:		NAME	DATE
DIMENSIONS ARE IN INCHES		DRAWN	8/8/2016
TOLERANCES:		CHECKED	
FRACTIONAL: ±1/16		ENG APPR.	
ANGULAR: ±0.5°		MFG APPR.	
ONE PLACE DECIMAL ±0.1		Q.A.	
TWO PLACE DECIMAL ±0.01		COMMENTS:	
THREE PLACE DECIMAL ±0.005			
INTERPRET GEOMETRIC TOLERANCING PER:		TITLE:	
MATERIAL		EZ5R RIGHT ENTRY SHAFTLESS	
FINISH		SIZE	DWG. NO.
DO NOT SCALE DRAWING		B	TYP - EZ5R
		REV	A
		SCALE: 1:64	WEIGHT: SHEET 1 OF 4





UNLESS OTHERWISE SPECIFIED:		NAME	DATE	CREST
DIMENSIONS ARE IN INCHES		DRAWN	8/8/2016	
TOLERANCES:		CHECKED		
FRACTIONAL: ±1/16		ENG APPR.		
ANGULAR: ±0.5°		MFG APPR.		TITLE:
ONE PLACE DECIMAL ±0.1		Q.A.		EZ5R RIGHT ENTRY SHAFTLESS
TWO PLACE DECIMAL ±0.01		COMMENTS:		SIZE DWG. NO. REV
THREE PLACE DECIMAL ±0.005				B TYP - EZ5R A
INTERPRET GEOMETRIC TOLERANCING PER:				SCALE: 1:64 WEIGHT: SHEET 2 OF 4
MATERIAL				
FINISH				
DO NOT SCALE DRAWING				

PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF STAYING HOME CORPORATION. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF STAYING HOME CORPORATION IS PROHIBITED.



PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF STAYING HOME CORPORATION. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF STAYING HOME CORPORATION IS PROHIBITED.


UNLESS OTHERWISE SPECIFIED:		
DIMENSIONS ARE IN INCHES		
TOLERANCES:		
FRACATIONAL	±1/16	
ANGULAR	±0.5°	
ONE PLACE DECIMAL	±0.1	
TWO PLACE DECIMAL	±0.01	
THREE PLACE DECIMAL	±0.005	
INTERPRET GEOMETRIC TOLERANCING PER:		
MATERIAL		
FINISH		
DO NOT SCALE DRAWING		
DRAWN	JB	8/8/2016
CHECKED		
ENG APPR.		
MFG APPR.		
Q.A.		
COMMENTS:		



TITLE: PERPENDICULAR FLOOR JOISTS

SIZE B	DWG. NO. TYP - EZ5R	REV A
-----------	------------------------	----------

SCALE: 1:64 WEIGHT: SHEET 3 OF 4



UNLESS OTHERWISE SPECIFIED:		NAME	DATE
DIMENSIONS ARE IN INCHES		DRAWN	JB 8/8/2016
TOLERANCES:		CHECKED	
FRACTIONAL: ±1/16		ENG APPR.	
ANGULAR: ±0.5°		MFG APPR.	
ONE PLACE DECIMAL ±0.1		Q.A.	
TWO PLACE DECIMAL ±0.01		COMMENTS:	
THREE PLACE DECIMAL ±0.005			
INTERPRET GEOMETRIC TOLERANCING PER:			
MATERIAL			
FINISH			
DO NOT SCALE DRAWING			



TITLE: PARALLEL FLOOR JOISTS

SIZE	DWG. NO.	REV
B	TYP - EZ5R	A

SCALE: 1:64 WEIGHT: SHEET 4 OF 4

PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF STAYING HOME CORPORATION. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF STAYING HOME CORPORATION IS PROHIBITED.